Update on ISCCP-D2-like CERES Data Product

Moguo Sun, Rajalekshmy Raju, Cathy Nguyen and Michele Nordeen

SSAI

&

David Doelling and Norman Loeb
NASA LaRC

CERES Science Team Meeting Newport News, VA, Apr. 28, 2008






ISCCP-D2-like Products

Product Features:

 CERES cloud properties classified into pressure and optical bins that emulate the (GISS) ISCCP D2 monthly mean product



Appropriate Usage:

 GCM and climate studies that need Pc/Tau cloud properties to improve cloud parameterizations, etc.





ISCCP-D2-like CERES Cloud types

Cloud top (m	b)				
10-440		Cirrus	Cirrus-stratus	Deep Convective	
High		liq=13,ice=16	liq=14,ice=17	liq=15,ice=18	
Mid 440-680		Alto-cumulus	Alto-stratus	Nimbo-stratus	
		liq=7, ice=10	liq=8, ice=11	liq=9, ice=12	
Low 1000-680)	Cumulus	Strato-cumulus	Stratus	
		liq=1, ice=4	liq=2, ice=5	liq=3, ice=6	
Cloud optical depth		0.0-3.6	3.6-23	23-380	
		Thin	Mid	Thick	

- Stratify clouds in cloud pressure and optical depth bins
- CERES adds a liquid category to each of the high cloud bins





CERES ISCCP-D2-like Variables

ISCCP-D2like Product	Day/Nit	GGEO	Merged	Flux
Cloud Parameter	(MODIS-only)	GEO-only		
Cloud Fraction	X	X	X X	X
Effective Pressure	X	X	X X	X
Effective Temperature	X	X	X X	X
Optical Depth	X	X	X X	X
Infrared Emissivity	X		X	X
Particle size (radius, diameter)	X		X	X
Liquid/Ice Water Path	X	X	X	X
# of days/GMT box	X	X	XX	X
CERES fluxes				X

X = MODIS measurement

X = GGEO measurement

 $X \times X = MODIS$ and GGEO measurements

- Day/Nit MODIS and GGEO Beta1 products complete from Mar00-Aug07
- Day/Nit MODIS and GGEO Edition1 product release projected Sep 2009
- Merged Beta1 projected Sep 2009, Edition1 projected Dec 2009
- Flux Beta1 projected Dec 2009





ISCCP D2-like Merged Product Development

- To combine MODIS and GGEO cloud properties to create a dataset that is better than either dataset alone can offer.
 - MODIS multi-channel cloud retrievals are based on two overpasses per day and are not diurnally complete
 - GEO retrieves clouds at 3-hourly GMT intervals but are inferior to MODIS

Local Hr	00-03	03-06	06-09	09-12	12-15	15-18	18-21	21-24
Terra day				Т				
Terra nit								T
Aqua day					A			
Aqua nit	A							
GEO	G	G	G	G	G	G	G	G
Merged	Α	G'	G'	T	Α	G'	G'	T

- Merged dataset uses MODIS clouds whenever possible
- Use normalized GEO cloud properties for the remaining hours (similar technique to the GEO SW flux normalization)






Method for Merged Product

- Use normalization coefficients obtained from matched MODIS and GGEO cloud properties
 - Use all matches within 5x5 regions and 1.5 hours
 - Stratify by geo-type and geo-satellite, similar to SW normalization
- Apply daytime normalization coefficients to the daytime GEO clouds used in the merge product, do the same for night
- Validation: Use matched 3-hourly TRMM VIRS/GGEO cloud properties during June-August, 1998
 - VIRS cycles through all SZA in 23 days in tropics







Comparison of the monthly 3-hourly mean cloud amount over Ocean (West of US: 124W, 28.5N) for July 1998



Before Normalization



Local Hour Box



After Normalization






Comparison of the mean daytime cloud amount for July 1998

July 1998: Old Bias for DAY (allMatch)

GGEO-VIRS




Before Normalization

Bias = 4.22

July 1998: New Bias for DAY (allMatch)

Merged-VIRS




After Normalization

Bias = -1.25




Comparison of the mean night-time cloud amount for July 1998



Before Normalization

Bias = -6.06

July 1998: New Bias for NIT (allMatch)




After Normalization

Bias = -0.34




Comparison of the mean RMS for day-time cloud fraction, July 1998



Before Normalization

RMS = 19.06

July 1998: New RMS for DAY (allMatch)




After Normalization

RMS = 13.36 (-30%)






Comparison of the mean RMS for night-time cloud fraction, July 1998



Before Normalization

RMS = 20.42

July 1998: New RMS for NIT (allMatch)




After Normalization

RMS = 14.38 (-30%)






Monthly mean daytime cloud amount comparison classified by Sub Regions




- GGEO-VIRS
- Merged-VIRS




Atmospheric Sciences



Monthly mean night-time cloud amount comparison classified by Sub Regions



- GGEO-VIRS
- Merged-VIRS




Atmospheric Sciences



Current Status and Future plan

- Continue to work on Merged data to expand from cloud fraction to other variables.
- To develop ISCCP-D2-like CERES flux product that is associated with D2-like cloud types.



Sun and Cess





Time Line

- Day/Nit MODIS and GGEO Beta1 products complete from Mar00-Aug07
- Day/Nit and GGEO Edition1 products projected Sep 2009
- Merged Beta1 projected Sep 2009, Edition1 projected Dec 2009
 - All 3 products will have the format and read code for Edition1
- Flux Beta1 projected Dec 2009



Thank You!










Backups








Bias = 3.74

For adjusted GGEO only

Bias = -2.02








Bias = -6.13

Bias = -0.54








Bias = 18.57

Bias = 17.29







RMS=20.19

RMS=17.75



